# (19) World Intellectual Property Organization International Bureau



# 

# (43) International Publication Date 16 January 2003 (16.01.2003)

### **PCT**

# (10) International Publication Number

WO 03/004031 A1

(51) International Patent Classification7: A61K 31/485, 9/00, A61P 25/04

(21) International Application Number: PCT/US02/21398

(22) International Filing Date: 3 July 2002 (03.07.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/303,357
60/329,432
60/329,445
60/329,444
60/329,444
60/329,444
60/329,444
60/329,444
60/329,444
60/329,444
60/329,444
60/329,444
60/329,444
60/329,444
60/329,444
60/329,444
60/329,444

(71) Applicant: ENDO PHARMACEUTICALS, INC. [US/US]; 100 Painters Drive, Chadds Ford, PA 19317 (US).


- (72) Inventors; and
- (75) Inventors/Applicants (for US only): KAO, Huai-Hung

[US/US]; 137 Colony Lane, Syosset, NY 11791 (US). SMITH-CARLISS, Richard [US/US]; 621 Cricklewood Road, Wilmington, DE 19807 (US). MCCALL, Troy [US/US]; 8861 Three Chimneys Drive East, Germantown, TN 38138 (US). LEE, David [/US]; 3209 Swarthmore Road, Wilmington, DE 19807 (US).

- (74) Agents: DONATIELLO, Guy, T. et al.; Schnader Harrison Segal & Lewis LLP, 1600 Market Street, Suite 3600, Philadelphia, PA 19103 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,

[Continued on next page]

(54) Title: PARENTERAL ADMINISTRATION OF 6-HYDROXY-OXYMORPHONE FOR USE AS AN ANALGESIC



- \* Pain Intensity Difference
- 6-OH-Oxymorphone Plasma Concentrations

(57) Abstract: In a method of treating pain a patient is administered a pharmaceutical composition of 6-hydroxy oxymorphone in an amount sufficient to induce analgesia. In one embodiment, the pharmaceutical composition is administered parenterally, preferably by injection and intravenous drip. To achieve the desired analgesic effect, blood plasma levels of 6-hydroxy oxymorphone are raised to at least approximately 0.05 ng/mL during treatment. Administration of compositions containing 6-hidroxy oxymorphone, and one or more carriers, diluents, and excipients in an amount sufficient to induce analgesia is also contemplated.



# WO 03/004031 A1



ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Published:

- with international search report

 before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

WO 03/004031 PCT/US02/21398

# PARENTERAL ADMINISTRATION OF 6-HYDROXY-OXYMORPHONE FOR USE AS AN ANALGESIC

5

This application relates to provisional patent application serial nos. 60/329,445 filed October 15, 2001, 60/329,432 filed October 15, 2001, 60/303,357 filed July 6, 2001, and 60/329,444 filed October 15, 2001.

10

15

20

25

30

#### Background

#### Field of Invention

The invention relates to methods for alleviating pain. More particularly, the invention relates to methods for alleviating pain by administering 6-hydroxy oxymorphone. Most particularly, the invention relates to methods of inducing analgesia by increasing blood plasma levels of 6-hydroxy oxymorphone.

#### Summary of the Invention

The present invention provides methods for treating pain by administration of a pharmaceutical composition comprising 6-hydroxy oxymorphone in an amount sufficient to induce analgesia. In one embodiment, the pharmaceutical composition is administered parenterally, preferably by injection and intravenous drip. To achieve the desired analgesic effect, blood plasma levels of 6-hydroxy oxymorphone are raised to at least approximately 0.05 ng/mL. Methods for administering compositions comprising 6-hydroxy oxymorphone, and one or more carriers, diluents, and excipients in an amount sufficient to induce analgesia are also provided.

### Brief Description of the Drawings

- Fig. 1 is a pharmacokinetic profile for 6-hydroxy oxymorphone with PID scores.
- Fig. 2 is a pharmacokinetic profile for oxymorphone with PID scores.
- Fig. 3 is a pharmacokinetic profile for 6-hydroxy oxymorphone with categorical pain scores.
  - Fig. 4 is a pharmacokinetic profile for oxymorphone with categorical pain scores.

WO 03/004031 PCT/US02/21398

# **Detailed Description**

10

15

20

25

30

The methods described herein provide for the direct administration of a pharmaceutical composition containing 6-hydroxy oxymorphone as an active ingredient. In a preferred embodiment the composition comprising 6-hydroxy oxymorphone alone (excepting, of course, carriers, diluents, and other excipients), In other embodiments, 6-hydroxy oxymorphone may be combined with other opioids or other pharmaceutical agents. For example compositions comprising both 6-hydroxy oxymorphone and its parent, oxymorphone.

In separate studies, blood plasma levels and indications of pain relief were recorded over a 12 hour period. Figs. 1-4 show graphical representation of the data combining the two studies such that the effect of blood plasma levels on pain can be evaluated.

The administration of oxymorphone yields blood plasma levels of oxymorphone and one of its metabolites, 6-hydroxy oxymorphone. Oxymorphone levels peak within 2 hours, fall slightly, and plateau. Interestingly, the level spikes again at 4-6 hours from administration. After this time, oxymorphone levels again drop and eventually fall to levels near the earlier plateau.

Like oxymorphone, 6-hydroxy oxymorphone blood plasma levels peak within 2 hours after administration. After the initial peak, however, a more or less steady decline in the 6-hydroxy oxymorphone's plasma levels is observed.

Comparing these levels to the pain profiles, a correlation between the 6-hydroxy oxymorphone blood plasma levels and pain relief can be seen. The pain levels nearly mirror the 6-hydroxy oxymorphone levels, with substantial rises in relief near the spikes associated with oxymorphone blood levels. Thus, pain relief can be achieved through administration of 6-hydroxy oxymorphone alone.

In addition to the pharmacokinetic studies, binding studies have been conducted to compare the binding affinity of 6-hydroxy oxymorphone to that of oxymorphone. The results are reported in TABLE 1. These results clearly indicate that 6-hydroxy oxymorphone has great binding affinity for the  $\delta$ ,  $\kappa$  and  $\mu$ , receptor cites, comparable to the binding affinity of its parent. The inventors believe that by virtue of this binding

WO 03/004031 PCT/US02/21398 affinity, 6-hydroxy oxymorphone has similar analgesic effects to its parent, oxymorphone.

TABLE 1: ASSAY REPORT

5

10

15

	6-H	YDROXY	OXYMORPHONE		
	OXYMORPHONE				
	10nm	10μm	10nm	10µm	
	1.0 E-8	1.0 E-5	1.0 E-8	1.0 E-5	
Opiate, Delta	-4.12%	90.48%	-18.26%	89.03%	
1					
Opiate, Delta	7.19%	55.45%	7.76%	72.74%	
2 (Human					
Recombinant)					
Opiate,	2.45%	62.47%	10.35%	89.41%	
Карра		1.5			
(Human					
Recombinant)					
Opiate, Mu	63.16%	99.91%	85.42%	100.39%	
(Human		i			
Recombinant)					

Accordingly, methods of administering the metabolite, 6-hydroxy oxymorphone, directly have been developed. It is believed that the  $\beta$  isomer has greater efficacy in the treatment of pain, but this disclosure is not limited to use of that isomer alone. Pharmaceutical compositions containing either 6- $\alpha$ -hydroxy oxymorphone, 6- $\beta$ -hydroxy oxymorphone, or mixtures thereof can be used in the invention.

Parenteral administration of 6-hydroxy oxymorphone ensures immediate release into the blood stream and the quickest route to pain relief. Administration of a composition containing 6-hydroxy oxymorphone by injection, IV drip, or other means is most effective. Regardless of the actual route of administration, an amount of 6-hydroxy oxymorphone sufficient to induce analgesia will be supplied. Blood plasma levels of 6-

WO 03/004031 PCT/US02/21398

hydroxy oxymorphone must be raised to levels sufficient to induce the desired level of analgesia.

The amount administered will be dependent upon normal criteria such as patient weight, intensity of pain, and other factors. Based on the pharmacokinetic studies blood plasma levels around at least 0.05 ng/mL will provide some analgesia. The upper plasma level limit will be ultimately established by safety concerns. Over-dosing of any opioid, including 6-hydroxy oxymorphone, can lead to respiratory failure and other undesirable side effects, and can even result in death. Preferably, the blood plasma level of 6-hydroxy oxymorphone will be raised to at least 0.075 ng/mL. Subsequent doses may be required to maintain these blood levels.

5

10

15

The preferred administration is of 6-hydroxy oxymorphone with appropriate carriers and excipients as will be readily apparent to those skilled in the art. The resulting blood plasma in these preferred administrations will therefore be substantially free of oxymorphone.

The above description encompasses some preferred embodiments of the invention. This disclosure is merely illustrative in nature and is not intended to limit the following claims.

4


15

#### **CLAIMS**


What is claimed is:

- 1. A method of treating pain comprising:
- administering parenterally to a patient a pharmaceutical composition comprising 6-hydroxy oxymorphone in an amount sufficient to induce analgesia.
  - 2. The method of claim 1 wherein said pharmaceutical composition is administered by injection or IV drip.
- 3. The method of claim 1 wherein said administration is sufficient to raise blood plasma levels of 6-hydroxy oxymorphone to at least about 0.05 ng/mL.
  - 4. The method of claim 1 wherein said administration is sufficient to raise blood plasma levels of 6-hydroxy oxymorphone to at least about 0.075 ng/mL.
  - 5. A method of treating pain comprising about parenterally administering to a patient a pharmaceutical composition comprising 6-hydroxy oxymorphone, and one or more carriers, diluents, and excipients in an amount sufficient to induce analgesia.
- 6. A pharmaceutical comprising 6-hydroxy oxymorphone in a solution for parenteral delivery to animals, including humans.
- 7. A method of treating pain comprising:
   parenterally administering to a patient a pharmaceutical composition comprising


   6-hydroxy oxymorphone and oxymorphone in an amount sufficient to induce analgesia.




SUBSTITUTE SHEET (RULE 26)



SUBSTITUTE SHEET (RULE 26)



SUBSTITUTE SHEET (RULE 26)



SUBSTITUTE SHEET (RULE 26)

# INTERNATIONAL SEARCH REPORT

In ...lonal Application No PCT/US 02/21398

A 01.45	COURTON TION OF THE PARTY OF TH		FC1/U3 U2/21398	
ÎPC 7	SSIFICATION OF SUBJECT MATTER A61K31/485 A61K9/00 A61F	25/04		
According	g to International Patent Classilication (IPC) or to both national c	classification and IPC		
	DS SEARCHED			
1PC /				
	lation searched other than minimum documentation to the exter data base consulted during the International search (name of c			
	nternal, WPI Data, PAJ, CHEM ABS		•	
C. DOCUM	MENTS CONSIDERED TO BE RELEVANT			
Category *	Citation of document, with indication, where appropriate, of	the relevant passages	Relevant to claim No.	
Y	CONE, EDWARD J.: "General prother isolation and identification of the isolation and 6betahydrox metabolites of narcotic agonis	ion of (y :ts and	1-7	
	antagonists with a hydromorpho structure" J. CHROMATOGR. (1976), 129, 35 XP001106444			
	page 356; table 1 page 357, paragraph SECOND page 361			
γ .	US 6 166 211 A (DRUMMOND JR SP AL) 26 December 2000 (2000-12- column 2	ENCER ET 26)	1-7	
		-/		
}		•		
χ Furth	er documents are listed in the continuation of box C.	X Patent family mem	nbers are listed in annex.	
	egories of cited documents :	'T' later document publishe	d after the international filing date	
A' document delining the general state of the art which is not considered to be of particular relevance     E' earlier document but published on or after the international		clied to understand the invention	principle or theory underlying the	
L° documen which is	ate that the state of the state	involve an inventive ste	elevance; the claimed invention novel or cannot be considered to p when the document is taken alone	
O' document other m		document is combined ments, such combination	elevance; the claimed invention o Involve an Inventive step when the with one or more other such docu- on being obvious to a person skilled	
later tha	at published prior to the international filing date but an the priority date claimed	In the art. "&" document member of the	•	
ate of the ac	clual completion of the international search		ternational search report	
	October 2002	06/11/2002		
ame and ma	iiling address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk	Authorized officer		
	Tel. (+31-70) 340-2040, Tx. 31 651 epo ni, Fax: (+31-70) 340-3016	Brunnauer, H		

# INTERNATIONAL SEARCH REPORT

Ir. Ional Application No
PCT/US 02/21398

C.(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	PCT/US 0	2/21396
Calegory *			Relevant to claim No.
Y	CONE E J ET AL: "Oxymorphone metabolism and urinary excretion in human, rat, guinea pig, rabbit, and dog." DRUG METABOLISM AND DISPOSITION, (1983 SEP-OCT) 11 (5) 446-50., XP001106446 abstract page 446, right-hand column		1~7
Υ	US 4 844 907 A (ELGER GORDON A ET AL) 4 July 1989 (1989-07-04) claims 1,2		1-7
r	US 5 629 011 A (ILLUM LISBETH) 13 May 1997 (1997-05-13) claims 1,9		1-7
′	US 4 366 159 A (MAGRUDER MICHAEL R) 28 December 1982 (1982-12-28) column 3, line 35-37 - line 55-59		1-7
			·
	·		

International application No. PCT/US 02/21398

# INTERNATIONAL SEARCH REPORT

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)
This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
1. X Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:
Although claims 1-5 and 7 are directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.
Claims Nos.:     because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
·
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This International Searching Authority found multiple inventions in this international application, as follows:
As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. As all searchable daims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
Remark on Protest The additional search fees were accompanied by the applicant's protest.
No protest accompanied the payment of additional search fees.

# INTERNATIONAL SEARCH REPORT

Information on patent family members

Ir ional Application No
PCT/US 02/21398

	_			1 1 1 7 5 5	
Patent document cited in search report		Publication date		Patent family member(s)	Publication date
US 6166211	A	26-12-2000	AU WO	3736500 A 0056735 A1	09-10-2000 28-09-2000
US 4844907	A	04-07-1989	AT AU CA DE DK EP JP JP JP SG ZA	46437 T 584234 B2 6183086 A 1272955 A1 3665669 D1 407286 A 0220805 A2 59515 B 1948471 C 6081733 B 62051625 A 217341 A 94892 G 8606207 A	15-10-1989 18-05-1989 05-03-1987 21-08-1990 26-10-1989 01-03-1987 06-05-1987 09-03-1994 10-07-1995 19-10-1994 06-03-1987 28-10-1988 04-12-1992 29-04-1987
US 5629011	A	13-05-1997	AT AU CA DE DK EP ES WO GB JP NO	171872 T 3458093 A 2127805 A1 69321458 D1 69321458 T2 625044 T3 0625044 A1 2123660 T3 9315737 A1 2277682 A ,B 7503481 T 942787 A	15-10-1998 03-09-1993 19-08-1993 12-11-1998 18-03-1999 21-06-1999 23-11-1994 16-01-1999 19-08-1993 09-11-1994 13-04-1995 27-07-1994
US 4366159	A	28-12-1982	AR AU CA EP FI GR HU JP NZ PH PT ZA	228984 A1 549070 B2 8804282 A 1200501 A1 0074105 A1 823112 A 76702 A1 190699 B 66743 A 58055422 A 201841 A 18772 A 75521 A 8206500 A	13-05-1983 09-01-1986 17-03-1983 11-02-1986 16-03-1983 09-03-1983 29-08-1984 28-10-1986 31-07-1986 01-04-1983 14-12-1984 25-09-1985 01-10-1982 25-04-1984